



PCCTV/NVR		ساينده فروش بربلد هايک ويژن و تجييزات شبکه	
مدل	اطلاعات محصول	قیمت(ریال)	تصوير محصول
	ColorVu Series		
DS-2CD1327G0-L	2 MP ColorVu Fixed Turret Network Camera High quality imaging with 2 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging/Digital WDR	Call	PORTING.
DS-2CD2126G2-ISU	High quality imaging with 2 MP resolution Excellent low-light performance with powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle classification based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)	81,540,000	, and societies with the societies of the societies with the societies of
DS-2CD2025FHWD-I	High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology High frame rate video to illustrate smooth movement Water and dust resistant (IP67) Robust structure design with full metal materials.	68,530,000	AN COLOR
DS-2CD2027G2-L	High quality imaging with 2 MP resolution 24/7 full color imaging Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials	71,040,000	
DS-2CD1047G0-L	4 MP ColorVu Fixed Mini Bullet Network Camera High quality imaging with 4 MP resolution 24/7 full color imaging Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials	Call	
DS-2CD1057G0-L	High quality imaging with 5 MP resolution 24/7 colorful imaging Excellent low-light performance Water and dust resistant (IP67) Efficient H.265+ compression technology	58,820,000	
DS-2CD2346G2-IU	High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)	75,130,000	

DS-2CD2046G2-I	High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time auto security(-U) Water and dust resistant (IP67)	70,760,000	
DS-2CD2147G2	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology 24/7 colorful imaging Focus on human and vehicle targets classification based on deep learning -SU: Built-in microphone for real-time audio security, audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)	85,000,000	MATERIAL
DS-2CD2047G2-L	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	77,730,000	
DS-2CD1347G0-L	High quality imaging with 4 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging WDR,BLC, HLC, 3D DNR	81,650,000	INTERNAL CONTRACTOR OF THE PARTY OF THE PART
DS-2CD1357G0-L	High quality imaging with 5 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging WDR,BLC, HLC, 3D DNR	58,790,000	MYTESHAN
DS-2CD2347G2-L	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	78,910,000	Mana Mana
DS-2CD2347G2-LU	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	89,760,000	HSSAN STATE OF THE
DS-2CD2T47G2-I	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	95,580,000	O second

DS-2CD2T66G2-4I	High quality imaging with 6 MP resolution Excellent low-light performance with powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	93,180,000	
DS-2CD2066G2-I	High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)	78,390,000	
DS-2CD2185FWD-I	High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials.	108,460,000	1687590V
DS-2CD2087G2-LU	4 K ColorVu Fixed Bullet Network Camera High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging Built-in microphone for real-time audio security (-U)	156,550,000	
DS-2CD2085G1-I	High quality imaging with 8 MP resolution Excellent low-light performance via powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal material.	117,160,000	MXISTIN
DS-2CD2086G2-I	High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)	98,810,000	HENDEN
DS-2CD2T86G2-4I	High quality imaging with 8 MP resolution Excellent low-light performance with powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light by 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	120,150,000	

DS-2CD2T85G1-I5	Up to 8 megapixel high resolution Max. 3840 × 2160 @20fps H.265, H.265+, H.264+, H.264 120dB WDR Powered by Darkfighter 12 VDC & PoE (802.3af, class 3) Support on-board storage, up to 128 GB IP67 BLC/3D DNR/ROI/HLC Color: 0.008 Lux @ (F1.2, AGC ON), 0.014 Lux @ (F1.6, AGC ON) UP TO 50M IR RANGE	135,710,000	Messon (C)
DS-2CD2T85G1-I8	Up to 8 megapixel high resolution Max. 3840 × 2160 @20fps H.265, H.265+, H.264+, H.264 120dB WDR Powered by Darkfighter 12 VDC & PoE (802.3af, class 3) Support on-board storage, up to 128 GB IP67 BLC/3D DNR/ROI/HLC Color: 0.008 Lux @ (F1.2, AGC ON), 0.014 Lux @ (F1.6, AGC ON) UP TO 80M IR RANGE	134,730,000	O mon
DS-2CD2T87G2-LK	High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging t. In zero-light scenarios, built-in, warm supplemental lighting works to guarantee colorful images.	Call	WHO (0.7)
DS-2CD2686G2-IZS	High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP66) and vandal proof (IK10)	178,370,000	
	Lite Mini Bullet Series		
DS-2CD1023G0E-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting thanks to DWDR technology Water- and dust- resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range.	26,940,000	Apparatus _T
DS-2CD1023G0-I	2 MP Fixed Bullet Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR rang	Call	

DS-2CD1023G0-IUF	high quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range Support up to 256 GB SD card storage Built-in microphone for real-time audio security	40,770,000	
DS-2CV1021G0-IDW1	1/2.8" progressive scan CMOS,Up to 30 m IR range 1920 × 1 0 80 30 fps , B uilt in m icro SD/SDHC/SDXC slot, up to128G 2.8/4 mm fixed lens, Built in Wi Fi Color: 0.01 Lux @ (F1.2, AGC ON), 0.028 Lux @ (F2.0, AGC ON),Mobile m onitoring via Hik Connect, 3D DNR, IP66	Call	
DS-2CD1043G0-I	4MP Fixed Bullet Network Camera High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range -UF: Built-in microphone for real-time audio security	35,160,000	Aprilia 2
DS-2CD1053G0-I	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range -UF: Built-in microphone for real-time audio security	Call	ABOURN A
DS-2CD1043G0E-I	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light with 120 dB WDR Water and dust resistant (IP67) EXIR 2.0, advanced infrared technology with long IR distance	Call	
	Lite Dome Series		
DS-2CD1123G0-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to DWDR technology Water and dust resistant (IP67), vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR range	Call	AMASSISM
DS-2CD1123G0E-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range	26360000	JOH TO SALEY
DS-2CD1323G0E-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	Call	Augus

DS-2CD1323G0-IUF	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range Built-in microphone for real-time audio security Support up to 256 GB SD card storage	Call	- Manage
DS-2CD1143G0-I	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range	41780000	MACHINE
DS-2CD1143G0-IUF	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range Support up to 256 GB SD card storage Built-in microphone for real- time audio security	Call	ARATSAR
DS-2CD1153G0-I	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range	54,540,000	JACK PERSON
DS-2CD1353G0-I	5MP Fixed Turret Network Camera High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	Call	increase in the second
	Mini Bullet Series		
DS-2CD2023G2-I	High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	59,940,000	Across Delivery
DS-2CD2021G1-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Support up to 256 GB SD card storage	49,980,000	acces .

DS-2CD2043G2-IU	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	79,110,000	0
DS-2CD2043G2-I	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	66,460,000	AND
DS-2CD2063G0-I	6 MP Outdoor WDR Fixed Mini Bullet Network Camera High quality imaging with 6 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials	Call	0-
DS-2CD2063G2-I	High quality imaging with 6 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	72,800,000	AND AND SHAPE OF THE SHAPE OF T
DS-2CD2083G2-I	High quality imaging with 8 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	77,710,000	ANSON S
DS-2CD2083G0-I	4K Outdoor WDR Fixed Bullet Network Camera High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	Call	
J. J.	Dome Series		
DS-2CD2123G2-IU	High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning -S: audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)	61,350,000	AIN LECKEN
DS-2CD2143G2-IU	4 MP Vandal Built-in Mic Fixed Dome Network Camera High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning	66,890,000	AREK VESIGNY

DS-2CD2327G2-L	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	81,110,000	
DS-2CD2143G0-IU	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Built-in microphone for real-time audio security Water and dust resistant (IP66) and vandal proof (IK10) Robust structure design with full metal materials	Call	AMINERON
DS-2CD2163G2-IU	6 MP WDR Fixed Dome Network Camera with Build-in Mic High quality imaging with 6 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Built-in microphone for real-time audio security Water and dust resistant (IP66) and vandal proof (IK10) Robust structure design with full metal materials	70,780,000	TO ASSESS
DS-2CD2183G2-IU	8 MP Vandal Built-in Mic Fixed Dome Network Camera High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning	74,280,000	Mary
DS-2CD2183G0-IS	4K Outdoor WDR Fixed Dome Network Camera High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials	Call	Nones of the Control
	Bullet Series		
DS-2CD2T43G0-I5	1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8/4/6/8mm fixed lens • Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+, H.265, H.264+, H.264,Three streams,120dB WDR,2 Behavior analyses, and face detection,BLC/3D DNR/ROI,IP67,Built-in micro SD/SDHC/SDXC card slot, up to 128 GB-up to 50m IR range	Call	
DS-2CD2T43G0-I8	1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8/4/6/8mm fixed lens • Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+, H.265, H.264+, H.264,Three streams,120dB WDR,2 Behavior analyses, and face detection,BLC/3D DNR/ROI,IP67,Built-in micro SD/SDHC/SDXC card slot, up to 128 GB-up to 50m IR range	Call	ALON S

DS-2CD2T43G2-2I	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning Up to 60M IR	66,970,000	To most
DS-2CD2T43G2-4I	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning Up to 80M IR	72,380,000	
DS-2CD2T63G2-4l	High quality imaging with 6 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning Up to 80M IR	80,860,000	aux.
DS-2CD2T83G2-4I	High quality imaging with 8 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning Up to 80M IR	93,900,000	
	Lite Bullet Vari-Facal Motorized Series		
DS-2CD1623G0-IZ	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to DWDR technology Up to 256 GB SD card slot for storage 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	Call	
DS-2CD1643G0-IZ	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Up to 256 GB SD card slot for storage 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	81,350,000	
	Lite Dome Vari-Facal Motorize Series		

DS-2CD2H25FWD-IZS	2 MP Powered-by-DarkFighter Varifocal Turret Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.	138,870,000	MIKVESKEV
DS-2CD1743G0-IZ	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Up to 256 GB memory card slot for storage 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) and vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR range	91,340,000	HIGHSIAN
DS-2CD1753G0-IZ	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Up to 256 GB memory card slot for storage 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) and vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR range	Call	PHICKESON
	Bullet Vari-Facal Motorized Series		
DS-2CD2643G2-IZS	4 MP WDR Motorized Varifocal Bullet Network Camera High quality imaging with 4 MP resolution Motorized varifocal lens for easy installation and monitoring Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep	Call	D Cool
DS-2CD2663G0-IZS	BLC/3D DNR/ROI/HLC IP66, IK10 Built-in micro SD/SDHC/SDXC card slot, up to 128 GB 1/2.9" Progressive Scan CMOS 3072 × 2048@20 fps 2.8 to 12 mm varifocal lens Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR ① H.265+, H.265, H.264+, H.264 ② 2 Behavior analyses ② 120dB WDR	Call	

DS-2CD2683G2-IZS	8 MP(4K) IR Vari-focal Bullet Network Camera-• 1/2.5" Progressive Scan CMOS • 3840 ×2160@15fps • 2.8 to 12 mm varifocal lens • Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR • H.265+, H.265, H.264+, H.264 • 120dB WDR • 2 Behavior analyses, and face detection • BLC/3D DNR/ROI • IP67, IK10 - Z:Motorized VF lens	139,300,000	
DS-2CD2685G1-IZ	High quality imaging with 8 MP resolution Excellent low-light performance via powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) and vandal proof (IK10) Motorized vari-focal lens for easy installation and monitoring Robust structure design with full metal materials.	g	AND
	Dome Vari-Facal Motorized Series		
DS-2CD2743G2-IZS	High quality imaging with 4 MP resolution Motorized varifocal lens for easy installation and monitoring Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal proof (IK10) Focus on human and vehicle targets classification based on deep learning	Call	
DS-2CD2763G1-IZS	High quality imaging with 6 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials	Call	
DS-2CD2783G0-IZS	8 MP(4K) IR Vari-focal Dome Network Camera • 1/2.5" Progressive Scan CMOS • 3840 ×2160@15fps • 2.8 to 12 mm varifocal lens• Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR • H.265+, H.265, H.264+, H.264 • 120dB WDR • 2 Behavior analyses, and face detectio • BLC/3D DNR/ROI • IP67, IK10 • Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z: Motorized VF lens	137,470,000	MUNICIPA
DS-2CD2785G1-IZS	High quality imaging with 8 MP resolution Excellent low-light performance via powered-by- DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) and vandal proof (IK10) Motorized vari-focal lens for easy installation and monitoring Robust structure design with full metal materials.	150,320,000	THE STATE OF THE S

DS-2CD2786G2-IZS	High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP66) and vandal proof (IK10)	195,970,000	ANNIHATON
j	Fish Eye Series		
DS-2CD2942F-IS	Color: 0.01lux @(F1.2, AGC ON), 0.018lux @(F1.6, AGC ON), 0 lux with IR 2560 × 1440 1.6mm, F1.6 Angle of view: 186°(horizontal), 106°(vertical) H.264/MJPEG 50Hz: 12.5fps(2560 × 1440), 25fps(1920 × 1080, 1280 × 720) × 720) br>60Hz: 15fps(2560 × 1440), 30fps(1920 × 1080, 1280 × 720) 8 meters 12 VDC ± 10%, PoE (802.3af)	Call	AMERICA
DS-2CD2955FWD-IS	5 MP Network Fisheye Camera,Up to 5 megapixel high resolution,2560 × 1920 @30fps,H.265, H.265+, H.264+, H.264, Support 14 display modes, FOV: horizontal FOV 180°, vertical FOV 180°, Dual video streams, DC12V & PoE (802.3af), Digital Noise Reduction, Support on-board storage, up to 128 GB, Up to 8m IR range, -S: Audio/Alarm IO	102,960,000	AMISERON
	Cube Smart Series		
DS-2CD2421G0-IW	2MP PIR Cube Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Provide real-time security via built-in two-way audio Detect human body through passive infrared which is sensitive to body temperature (PIR)	Call	
DS-2CD2423G0-IW	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Provides real-time security via built-in two-way audio Detects human body through passive infrared is sensitive to body temperature (PIR) -W: Wi-Fi connection	Call	
DS-2CD2443G0-IW	High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Provides real-time security via built-in two-way audio Detects human body through passive infrared is sensitive to body temperature (PIR) -W: Wi-Fi connection	61,130,000	

DS-2DE7A432IW- AEB(T5)	1/1.8" progressive scan CMOS High quality imaging with 4 MP resolution Excellent low-light performance with powered-by- DarkFighter technology Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32× optical zoom and 16× digital zoom provide close up views over expansive areas Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning Face capture: Up to 5 faces captured at the same time	412,170,000	MACRICAL MAN
DS-2SE4C425MWG-E	TandemVu 4-inch 4 MP 25X Colorful & IR Network Speed Dome Captures a large area and great details at the same time High quality imaging with 4 MP resolution Excellent low-light performance with powered-by- DarkFighter technology and ColorVu technology Secures an expansive area with 25× optical zoom and 16× digital zoom Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 100 m IR distance & 30 m white light Supports 12V DC & PoE+ Focuses on human and vehicle targets classification based on deep learning	320,560,000	PORTEGUE
DS-2DE4225IW-DE S6	1/2.8" progressive scan CMOS High quality imaging with 2 MP resolution Excellent low-light performance with powered-by- DarkFighter technology 25× optical zoom and 16× digital zoom provide close up views over expansive areas WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	Call	and the second s
DS-2DE4225IW-DE T5	Focuses on human and vehicle targets classification based on deep learning Support face capture. Up to 5 faces captured at the same time 1/2.8" progressive scan CMOS High quality imaging with 2 MP resolution Excellent low-light performance with powered-by- DarkFighter technology 25× optical zoom and 16× digital zoom provide close up views over expansive areas Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	214590000	

DS-2DE4425IW-DE T5	Focuses on human and vehicle targets classification based on deep learning Support face capture. Up to 5 faces captured at the same time 1/2.8" progressive scan CMOS High quality imaging with 4 MP resolution Excellent low-light performance with powered-by- DarkFighter technology 25× optical zoom and 16× digital zoom provide close up views over expansive areas Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	252150000	
DS-2DE5220IW-DE	1/2.8" Progressive Scan CMOS • Up to 2048 x 1536 Resolution • 30× Optical Zoom, 16× Digital Zoom • IR Distance up to 492 ft (150 m) • Digital WDR • 3D Intelligent Positioning Function • Support for H.265+/H.265 Video Compression • IP66, IK10 • 24 VAC/Hi-PoE (injector supplied), 32 W	Call	AND SERVICE.
DS-2DE4425IW-DE	High quality imaging with 4 MP resolution DarkFighter technology Clear imaging against strong back lighting due to 120 dB WDR technology Pan and tilt ability enables camera to monitor zones of interest 25x optical zoom allows for closer viewing of subjects in expansive areas Up to 100m IR range ensures safety at night Water and dust resistant (IP66)	Call	and the second
DS-2DE4A320IW-DE	1/2.8" Progressive Scan CMOS Up to 2048 × 1536 resolution 20× Optical Zoom, 16× Digital Zoom WDR, 3D DNR, HLC, Smart IR Up to 50 m IR distance 12 VDC & PoE+ (802.3at, class4) Support H.265 video compression	Call	0
	NVR 4 Channel		
DS-7104NI-Q1/M	Incoming bandwidth: 40Mbps - P video input: 4-ch Up to 4 MP resolution - H.265+/H.265/ H.264+/H.264 - HDMI/VGA output at 1080p resolution - 1 SATA hard disks can be connected with 6TB capacity - Supports line crossing and intrusion detection	Call	
DS-7104NI-Q1/4P/M	Incoming bandwidth: 40Mbps - P video input: 4-ch Up to 4 MP resolution - H.265+/H.265/ H.264+/H.264 - HDMI/VGA output at 1080p resolution - 1 SATA hard disks can be connected with 6TB capacity - Supports line crossing and intrusion detection	Call	- Haza
DS-7604NI-Q1	IP video input 4-ch,Up to 8 MP resolution,Incoming bandwidth 40 Mbps , Outgoing bandwidth 80 Mbps , Audio output 1-ch,Decoding format H.265/H.265+/H.264/H.264+/MPEG4, 1 SATA interface Capacity Up to 6TB capacity for each disk,	Call	
DS-7604NI-Q1/4P	IP video input 4-ch,Up to 8 MP resolution,Incoming bandwidth 40 Mbps , Outgoing bandwidth 80 Mbps , Audio output 1-ch,Decoding format H.265/H.265+/H.264/H.264+/MPEG4, 1 SATA interface Capacity Up to 6TB capacity for each disk, 4 independent PoE network interfaces	Call	

DS-7604NI-K1	4-ch 1U 4K NVR Up to 4-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 40 Mbps incoming bandwidth	61,560,000	MATCHAN
DS-7604NI-K1/4P	4-ch 1U 4 PoE 4K NVR Up to 4-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 40 Mbps incoming bandwidth	68,340,000	Material Control of Co
	NVR 8 Channel		
DS-7108NI-Q1/M	Incoming bandwidth: 60Mbps - P video input: 8-ch Up to 4 MP resolution - H.265+/H.265/ H.264+/H.264 - HDMI/VGA output at 1080p resolution - 1 SATA hard disks can be connected with 6TB capacity - Supports line crossing and intrusion detection	Call	
DS-7108NI-Q1/8P/M	Incoming bandwidth: 60Mbps - P video input: 8-ch Up to 4 MP resolution - H.265+/H.265/ H.264+/H.264 - HDMI/VGA output at 1080p resolution - 1 SATA hard disks can be connected with 6TB capacity - Supports line crossing and intrusion detection	Call	
DS-7608NI-Q1	IP video input 8-ch,Up to 8 MP resolution,Incoming bandwidth 80 Mbps , Outgoing bandwidth 80 Mbps , Audio output 1-ch,Decoding format H.265/H.265+/H.264/H.264+/MPEG4, 1 SATA interface Capacity Up to 6TB capacity for each disk,	Call	
DS-7608NI-K1/8P	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth 8 independent PoE network interfaces 1 self-adaptive 10/100 Mbps Ethernet interface	126,190,000	-
DS-7608NI-Q2	8-ch 1U 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	Call	
DS-7608NI-K2	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 1 HDMI and 1 VGA interfaces, both interfaces support independent video outpu 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 80 Mbps incoming bandwidth	71,200,000	
DS-7608NI-K1	8-ch 1U 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	Call	
DS-7608NI-Q2/8P	8-ch 1U 8 PoE 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 80 Mbps incoming bandwidth NVR 16 Channel	Call	
7	NVK 10 Channel		

DS-7616NI-K1	16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth	Call	
DS-7616NI-Q2/16P	16-ch 1U 16 PoE 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth	Call	
DS-7616NI-Q2	16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth	89,810,000	
DS-7616NI-K2	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 1 HDMI and 1 VGA interfaces, both interfaces support independent video output 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 160 Mbps incoming bandwidth	82,970,000	100
DS-7616NI-K 2 /16P	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 1 HDMI and 1 VGA interfaces, both interfaces support independent video output 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 160 Mbps incoming bandwidth Plug-and-play with 16 power over Ethernet (PoE) interfaces	162,340,000	1000
DS-7716NI-K4	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth	211,190,000	****
DS-7716NI-Q4	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 2-ch @ 4MP or 6-ch @ 1080P decoding capacity 1 HDMI and 1 VGA interfaces: simultaneous video output Up to 160 Mbps incoming bandwidth 4 HDDs for continuous video recording	Call	
DS-7716NI-Q4/16P	Up to 16 channel IP cameras can be connected Supports decoding H.265+/H.265/H.264+/H.264 video formats Up to 4K high-definition live view, storage and playback Up to 8-ch @ 1080p decoding capacity Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected 1 HDMI and 1 VGA interfaces: both interfaces support independent video output 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces	255,140,000	4441
	NVR 32 Channel		

IDS-7732NXI-14/8S	Human Body Detection Deep learning based analysis: re recognition of the human body target in behavior detection to filter false alarm Professional and Reliable New logical and vis ualized GUI design D ual OS design to ensure high reliability of system running ANR technology to enhance the storage reliability when the network is disconnected Video Input and Transmission Full channel IP cameras connection Connectable to the third party network cameras Compression and Recording H.26 5 + compression effectively reduces the storage space and costs by up to 75 Full channel recording at up to 12 MP resolution HD Video Output HDMI and VGA independent outputs provided HDMI Video output at up to 4K (3840 × 2160) resolution Storage and Playback Up to 4 SATA interfaces for HDD connection	719,160,000	
DS-7732NI-K4	Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth	210,450,000	11.50
DS-7732NI-K4/16P	Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity Plug & play with 16 power-over-Ethernet (PoE) interfaces Up to 256 Mbps incoming bandwidth	334,310,000	11/21
DS-7732NI- Q4	Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 2-ch @ 4MP or 6-ch @ 1080P decoding capacity 1 HDMI and 1 VGA interfaces: simultaneous video output Up to 200 Mbps incoming bandwidth 4 HDDs for continuous video recording	Call	140/11 = 0
DS-7732NI-Q4/16P	Up to 32 channel IP cameras can be connected Supports decoding H.265+/H.265/H.264+/H.264 video formats Up to 4K high-definition live view, storage and playback Up to 6-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth ensures IP cameras can be connected 1 HDMI and 1 VGA interfaces: both interfaces support independent video output 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces	Call	11000

DS-9632NXI-18/4F	Monitor output resolution: HDMI1 up to 4K, VGA1 up to 2K, HDMI2/VGA2 up to 1080p Max total bandwidth (input/output): 256/200 Mbps Support for RAID 0/1/5/10 Support for ANR, HotSwap, HotSpare Support for disk cloning to eSATA drive Synchronous playback of recordings directly from NVR: up to 4x 4K channels or up to 16x 1080p channels Support for H.265/H.264+/H.264/MPEG4 video compression Recording resolutions: 12MP, 8MP, 6MP, 5MP, 4MP, 3MP 1080P, UXGA, 720P, VGA, 4CIF, DCIF, 2CIF, CIF, QCIF Place for eight SATA HDDs, each up 6 TB, plus eSATA interface Possibility of continuous recording with special parameters in the case of specific events (only for Hikvision cameras) Intelligent searching of archives by alarm events (line crossing, area intrusion, face recognition etc.) 2 x USB 2.0, 1 x USB 3.0, KB, RS232 and RS485 interfaces Alarm inputs/outputs: 16/4	3,213,890,000	
DS-9632NXI-I8/S	H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture Up to 32-ch IP camera inputs Up to 16-ch 1080p decoding capability Up to 320 Mbps incoming bandwidth	739020000	13390,
j i	NVR 64 Channel		
DS-8664NI-18	Up to 64 channel IP cameras can be connected Up to 12 MP high-definition live view, storage and playback Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces 8 HDD can be used for continuous video recording Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera Advanced streaming technology enables smooth live view in poor network conditions Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	Call	*****
DS-9664NXI-18/S	64-ch 2U 4K AcuSense NVR H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture Up to 64-ch IP camera inputs Up to 16-ch 1080p decoding capability Up to 320 Mbps incoming bandwidth	968,630,000	